



August 7, 2019

## EMVS Waitzer Hall AV System Addendum 1

The changes below reflect the responses from the pre-bid RFI list. The Addendum 1 bidding equipment list reflects the changes noted here.

1. SY01 – RM 100
  - a. Delete (1) Extron USB Extender Plus T
  - b. Delete (1) Extron USB Extender Plus R
  
2. SY02 – RM 200
  - a. Delete (1) Extron USB Extender Plus T
  - b. Delete (1) Extron USB Extender Plus R
  
3. SY03 – RM 300
  - a. Delete (1) Extron USB Extender Plus R
  - b. Add (1) Extron XTP II CP 4o HD 4K Plus
  - c. Add (1) Extron 60-1111-001473
  - d. Add (1) Extron QC 101 E
  - e. Add (1) Extron Commissioning Services
  - f. Change (86) Clock Audio C 35Ex-RF to (86) Clock Audio CS 1SN-RF RGB
  - g. Delete (86) Clock Audio SWP2 RGB
  - h. Add (1) Clock Audio CDT 100 UDP MKII
  - i. Add (2) Biamp Tesira SERVER-IO
  - j. Add (19) Biamp Tesira SEC-4
  - k. Add (3) Biamp Tesira AVB-1
  - l. Add (1) Biamp Tesira CONNECT
  
4. SY04 – RM 131
  - a. Change Extron, XTP II CrossPoint 1600 to Extron, XTP II CrossPoint 3200
  - b. Delete (1) Extron XTP CP 4i 4K
  - c. Delete (1) Extron USB Extender Plus R
  - d. Add (1) Shure MXA910
  
5. SY05 – RM 133
  - a. Change Extron, XTP II CrossPoint 1600 to Extron, XTP II CrossPoint 3200
  - b. Delete (1) Extron XTP CP 4i 4K
  - c. Delete (1) Extron USB Extender Plus R
  - d. Add (1) Shure MXA910
  
6. SY06 – RM 140/138
  - a. Delete (1) Extron XTP SR HD 4K
  - b. Delete (1) Extron XTP T HD 4K

ATLANTA  
BOSTON  
COLUMBUS  
DENVER  
LOS ANGELES  
NEW YORK  
OMAHA  
PHOENIX  
PITTSBURGH  
RALEIGH  
WASHINGTON DC



7. SY31 – RM 1166
  - a. Add (1) AMX MT-1002
  
8. Multiple systems:
  - a. Refer to the Addendum 1 bidding equipment list for the Cisco models and quantities of the preferred audiovisual network switch.
  
9. Master quotes:
  - a. Extron – 9151077
  - b. AMX - 58192

ATLANTA  
BOSTON  
COLUMBUS  
DENVER  
LOS ANGELES  
NEW YORK  
OMAHA  
PHOENIX  
PITTSBURGH  
RALEIGH  
WASHINGTON DC